




# Protective Covers




Jiffy Air Tool, USA  
Phone: 1-800-828-8665 U.S. and Canada  
1-775-883-1072 International  
2254 Conestoga Drive  
Carson City NV 89706-0434

Jiffy Air Tool, Europe  
Unit 8 Lane End Industrial Park  
High Wycombe, Bucks HP143BY UK  
Phone: +49 163 255 48 69  
[derya@jiffyairtool.com](mailto:derya@jiffyairtool.com)

[www.jiffyairtool.com](http://www.jiffyairtool.com)

# COVERS CATALOG



## INDEX:

### DRILLING:

|                    |      |
|--------------------|------|
| 90° .....          | 2    |
| 45° .....          | 2    |
| 360° .....         | 2-3  |
| PANCAKES .....     | 3    |
| 17° .....          | 4-5  |
| LTD (L-TYPE) ..... | 5-8  |
| THINLINE .....     | 9    |
| FAD .....          | 9-11 |

### INSTALL:

|                    |       |
|--------------------|-------|
| 17° .....          | 12-15 |
| 20° .....          | 15-16 |
| LTI (L-TYPE) ..... | 17-22 |
| STRAIGHT .....     | 23    |
| RATCHETS .....     | 23    |
| EB .....           | 24    |
| SPECIALS .....     | 24    |

### MISCELLANEOUS:

|             |       |
|-------------|-------|
| TUBES ..... | 25-27 |
|-------------|-------|

### CHEMICAL COMPATIBILITY

|            |     |
|------------|-----|
| MSDS ..... | TBD |
|------------|-----|

USE  
"CTRL+F" SEARCH  
TO QUICKLY  
FIND ATTACHMENT #

NOTE:  
STANDARD VINYL  
COLOR IS RED  
UNLESS OTHERWISE  
STATED.

CONTACT SALES  
FOR MORE COLOR  
OPTIONS.

**- NEW -**

06/01/2020 - RATCHETS (PG.23)  
06/01/2020 - EB (PG.24)









PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



SHEET SCALE: 1:2

|                                                                                                                                                                              |                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p>  <p>FOR<br/>17169, 17900<br/>CLOSE C-2-E 90° DRILL<br/>ATTACHMENT</p>  | <p>CONTACT SALES</p>  <p>FOR<br/>16500, 20917<br/>ALL BEARING 90° DRILL<br/>ATTACHMENT</p>                                                                                                     |
| <p>CONTACT SALES</p>  <p>FOR<br/>17945<br/>ALL BEARING 90° DRILL<br/>ATTACHMENT</p>        | <p>23882<br/>21447</p>   <p>21447</p> <p>FOR<br/>14977, 14177<br/>ALL BEARING 90° DRILL<br/>ATTACHMENT</p> |
| <p>21446</p>  <p>FOR<br/>18107, 18108<br/>SUPER DUTY 90° DRILL<br/>ATTACHMENT</p>         | <p>CONTACT SALES</p>  <p>FOR<br/>14988, 17901<br/>45° DRILL<br/>ATTACHMENT</p>                                                                                                               |
| <p>CONTACT SALES</p>  <p>FOR<br/>17596, 17688<br/>SUPER DUTY 45° DRILL<br/>ATTACHMENT</p> | <p>23880</p>  <p>FOR<br/>15000, 17725<br/>360° DRILL<br/>ATTACHMENT</p>                                                                                                                      |






PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



SHEET SCALE: 1:2

|                                                                                                                                                                                               |                                                                                                                                                                                                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p> <p>FOR<br/>15000M, 20918<br/>LIMITED ACCESS 360° DRILL<br/>ATTACHMENT</p>                                                                                                | <p>CONTACT SALES</p>  <p>FOR<br/>15010, 20910<br/>INDEXABLE<br/>PANCAKE DRILL<br/>SERIES 1, ATTACHMENT</p>  |
| <p>CONTACT SALES</p>  <p>FOR<br/>16769, 20911<br/>INDEXABLE<br/>PANCAKE DRILL<br/>SERIES 1, ATTACHMENT</p>  | <p>CONTACT SALES</p>  <p>FOR<br/>15021, 20912<br/>INDEXABLE<br/>PANCAKE DRILL<br/>SERIES 2, ATTACHMENT</p> |
| <p>CONTACT SALES</p>  <p>FOR<br/>17680, 20913<br/>INDEXABLE<br/>PANCAKE DRILL<br/>SERIES 2, ATTACHMENT</p> | <p>25963</p>  <p>FOR<br/>17700, 20914<br/>INDEXABLE<br/>PANCAKE DRILL<br/>SERIES 4, ATTACHMENT</p>         |
| <p>CONTACT SALES</p> <p>FOR<br/>17734, 20915<br/>INDEXABLE<br/>PANCAKE DRILL<br/>SERIES 4, ATTACHMENT</p>                                                                                     | <p>CONTACT SALES</p> <p>FOR<br/>17735, 20916<br/>INDEXABLE<br/>PANCAKE DRILL<br/>SERIES 4, ATTACHMENT</p>                                                                                      |









PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



SHEET SCALE: 1:2

|                                                                                                                                                                                   |                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p>  <p>FOR<br/>16230<br/>SERIES 1<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p>   | <p>CONTACT SALES</p>  <p>FOR<br/>17689<br/>SERIES 1<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p>   |
| <p>CONTACT SALES</p>  <p>FOR<br/>17642<br/>SERIES 1<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p>  | <p>CONTACT SALES</p>  <p>FOR<br/>16419<br/>SERIES 2<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p>  |
| <p>CONTACT SALES</p>  <p>FOR<br/>17690<br/>SERIES 2<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p> | <p>CONTACT SALES</p>  <p>FOR<br/>17691<br/>SERIES 2<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p>  |
| <p>CONTACT SALES</p>  <p>FOR<br/>16231<br/>SERIES 3<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p> | <p>CONTACT SALES</p>  <p>FOR<br/>17403<br/>SERIES 3<br/>INDEXABLE 17°<br/>DRILL ATTACHMENT</p> |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com


# COVERS CATALOG

## DRILLING




SHEET SCALE: 1:2

CONTACT SALES




FOR  
17692  
SERIES 3  
INDEXABLE 17°  
DRILL ATTACHMENT

CONTACT SALES




FOR  
17833  
SERIES 3  
FIXED 17°  
DRILL ATTACHMENT

CONTACT SALES




FOR  
17932  
SERIES 4  
FIXED 17°  
DRILL ATTACHMENT

22890




FOR  
13805, 13806  
LTD, SERIES 1  
DRILL ATTACHMENTS

22892




FOR  
13807, 13808  
LTD, SERIES 1  
DRILL ATTACHMENTS

22896




FOR  
13809, 13810  
LTD, SERIES 1  
DRILL ATTACHMENTS

22898



FOR  
13811, 13812  
LTD, SERIES 1  
DRILL ATTACHMENTS

22894



FOR  
13813, 13814  
LTD, SERIES 1  
DRILL ATTACHMENTS






PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



SHEET SCALE: 1:2

|                                                                                                                                                                      |                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p> <p>FOR<br/>25030, 25031<br/>LTD, SERIES 1<br/>DRILL ATTACHMENTS</p>                                                                             | <p>CONTACT SALES</p> <p>FOR<br/>25032, 25033<br/>LTD, SERIES 1<br/>DRILL ATTACHMENTS</p>                                                                               |
| <p>22900</p>  <p>FOR<br/>13817, 13818<br/>LTD, SERIES 2<br/>DRILL ATTACHMENTS</p>  | <p>22902</p>  <p>FOR<br/>13819, 13820<br/>LTD, SERIES 2<br/>DRILL ATTACHMENTS</p>  |
| <p>22906</p>  <p>FOR<br/>13821, 13822<br/>LTD, SERIES 2<br/>DRILL ATTACHMENTS</p> | <p>22908</p>  <p>FOR<br/>13823, 13824<br/>LTD, SERIES 2<br/>DRILL ATTACHMENTS</p> |
| <p>22904</p>  <p>FOR<br/>13826, 13827<br/>LTD, SERIES 2<br/>DRILL ATTACHMENTS</p> | <p>CONTACT SALES</p> <p>FOR<br/>25040, 25041<br/>LTD, SERIES 2<br/>DRILL ATTACHMENTS</p>                                                                               |






PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



SHEET SCALE: 1:2

|                                                                                                                                                                      |                                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p> <p>FOR<br/>25042, 25043<br/>LTD, SERIES 2<br/>DRILL ATTACHMENTS</p>                                                                             | <p>22910</p>  <p>FOR<br/>13830, 13831<br/>LTD, SERIES 3<br/>DRILL ATTACHMENTS</p>  |
| <p>22912</p>  <p>FOR<br/>13832, 13833<br/>LTD, SERIES 3<br/>DRILL ATTACHMENTS</p>  | <p>22916</p>  <p>FOR<br/>13834, 13835<br/>LTD, SERIES 3<br/>DRILL ATTACHMENTS</p>  |
| <p>22918</p>  <p>FOR<br/>13836, 13837<br/>LTD, SERIES 3<br/>DRILL ATTACHMENTS</p> | <p>22914</p>  <p>FOR<br/>13838, 13839<br/>LTD, SERIES 3<br/>DRILL ATTACHMENTS</p> |
| <p>CONTACT SALES</p> <p>FOR<br/>25050, 25051<br/>LTD, SERIES 3<br/>DRILL ATTACHMENTS</p>                                                                             | <p>CONTACT SALES</p> <p>FOR<br/>25052, 25053<br/>LTD, SERIES 3<br/>DRILL ATTACHMENTS</p>                                                                              |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com


# COVERS CATALOG

## DRILLING




SHEET SCALE: 1:3

25965




FOR  
17726, 17768  
LTD, SERIES 4  
DRILL ATTACHMENTS

CONTACT SALES




FOR  
17736, 17769  
LTD, SERIES 4  
DRILL ATTACHMENTS

CONTACT SALES




FOR  
17884, 17885  
LTD, SERIES 4  
DRILL ATTACHMENTS

CONTACT SALES



FOR  
17886, 17887  
LTD, SERIES 4  
DRILL ATTACHMENTS

CONTACT SALES



FOR  
17737, 17770  
LTD, SERIES 4  
DRILL ATTACHMENTS

CONTACT SALES

FOR  
25060, 25061  
LTD, SERIES 4  
DRILL ATTACHMENTS

CONTACT SALES

FOR  
25062, 25063  
LTD, SERIES 4  
DRILL ATTACHMENTS


PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



SHEET SCALE: 1:2

|                                                                                                                                                                          |                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p>  <p>FOR<br/>16974, 16975<br/>THIN LINE L<br/>DRILL ATTACHMENTS</p> | <p>CONTACT SALES</p> <p>FOR<br/>16972, 16973<br/>THIN LINE L<br/>DRILL ATTACHMENTS</p>   |
| <p>CONTACT SALES</p> <p>FOR<br/>16970, 16971<br/>THIN LINE L<br/>DRILL ATTACHMENTS</p>                                                                                   | <p>CONTACT SALES</p> <p>FOR<br/>16918, 16969<br/>THIN LINE L<br/>DRILL ATTACHMENTS</p>   |
| <p>CONTACT SALES</p> <p>FOR<br/>14835, 14836<br/>FAD, SERIES 1<br/>DRILL ATTACHMENTS</p>                                                                                 | <p>CONTACT SALES</p> <p>FOR<br/>14837, 14838<br/>FAD, SERIES 1<br/>DRILL ATTACHMENTS</p> |
| <p>CONTACT SALES</p> <p>FOR<br/>14839, 14840<br/>FAD, SERIES 1<br/>DRILL ATTACHMENTS</p>                                                                                 | <p>CONTACT SALES</p> <p>FOR<br/>14841, 14842<br/>FAD, SERIES 1<br/>DRILL ATTACHMENTS</p> |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



|                                                                                                                |                                                                                                                |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14843, 14844<br>FAD, SERIES 1<br>DRILL ATTACHMENTS | CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14847, 14848<br>FAD, SERIES 2<br>DRILL ATTACHMENTS |
| CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14849, 14850<br>FAD, SERIES 2<br>DRILL ATTACHMENTS | CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14851, 14852<br>FAD, SERIES 2<br>DRILL ATTACHMENTS |
| CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14853, 14854<br>FAD, SERIES 2<br>DRILL ATTACHMENTS | CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14855, 14856<br>FAD, SERIES 2<br>DRILL ATTACHMENTS |
| CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14859, 14860<br>FAD, SERIES 3<br>DRILL ATTACHMENTS | CONTACT SALES<br><br><br><br><br><br><br><br><br><br>FOR<br>14861, 14862<br>FAD, SERIES 3<br>DRILL ATTACHMENTS |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## DRILLING



|                                                           |                                                           |
|-----------------------------------------------------------|-----------------------------------------------------------|
| CONTACT SALES                                             | CONTACT SALES                                             |
| FOR<br>14863, 14864<br>FAD, SERIES 3<br>DRILL ATTACHMENTS | FOR<br>14865, 14866<br>FAD, SERIES 3<br>DRILL ATTACHMENTS |
| CONTACT SALES                                             |                                                           |
| FOR<br>14867, 14868<br>FAD, SERIES 3<br>DRILL ATTACHMENTS |                                                           |
|                                                           |                                                           |
|                                                           |                                                           |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: [www.jiffyairtool.com](http://www.jiffyairtool.com)



PHONE: 775 883 1072 FAX: 775 883 4857 WEB: [www.jiffyairtool.com](http://www.jiffyairtool.com)


# COVERS CATALOG

## INSTALLATION




SHEET SCALE: 1:3

21809




FOR  
20777, 25500, 23988  
FIXED 17°, CATALOG "RAT"  
R.385 C-2-E, INSTALL ATTACHMENT

21802



FOR  
20635, 25501, 23989  
FIXED 17°, CATALOG "RAT"  
R.385 C-2-E, INSTALL ATTACHMENT

24146 - WITHOUT KEY CONTROL, ORANGE




FOR  
20733, 25525, 24000  
FIXED 17°, SERIES 3 "CLOSE"  
R.438 C-2-E, INSTALL ATTACHMENT

CONTACT SALES

FOR  
20740, 25526, 24001  
FIXED 17°, SERIES 3 "CLOSE"  
R.438 C-2-E, INSTALL ATTACHMENT

21030 - WITHOUT KEY CONTROL (22422 = YELLOW)  
21413 - WITH KEY CONTROL




FOR  
18116, 25534,  
24003, 21074  
FIXED 17°, SERIES 3  
R.500 C-2-E, INSTALL ATTACHMENT

CONTACT SALES


FOR  
20078, 25535,  
24004, 21079  
FIXED 17°, SERIES 3  
R.500 C-2-E, INSTALL ATTACHMENT

23453 - WITHOUT KEY CONTROL  
23454 - WITH KEY CONTROL



FOR  
15356, 21782, 24046  
INDEXABLE 17°, SERIES 1  
R.317 C-2-E, INSTALL ATTACHMENT

23392 - WITHOUT KEY CONTROL  
23393 - WITH KEY CONTROL



FOR  
17565, 21783, 24047  
INDEXABLE 17°, SERIES 1  
R.317 C-2-E, INSTALL ATTACHMENT



PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:3

|                                                                                                                                                                                                                                                               |                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <p>23456 - WITHOUT KEY CONTROL<br/>23457 - WITH KEY CONTROL</p>  <p>FOR<br/>20614, 21785, 24049<br/>INDEXABLE 17°, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENT</p>          | <p>CONTACT SALES</p> <p>FOR<br/>20617, 21786, 24050<br/>INDEXABLE 17°, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENT</p>            |
| <p>21481 - WITH KEY CONTROL<br/>21749 - WITH KEY CONTROL</p>  <p>FOR<br/>15357, 21788,<br/>23449, 23982<br/>INDEXABLE 17°, SERIES 2<br/>R.317 C-2-E, INSTALL ATTACHMENT</p> | <p>CONTACT SALES</p> <p>FOR<br/>20090, 21789,<br/>23451, 23983<br/>INDEXABLE 17°, SERIES 2<br/>R.317 C-2-E, INSTALL ATTACHMENT</p> |
| <p>CONTACT SALES</p> <p>FOR<br/>15358, 21791,<br/>23450, 23985<br/>INDEXABLE 17°, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENT</p>                                                                                                                            | <p>CONTACT SALES</p> <p>FOR<br/>20621, 21792,<br/>23452, 23986<br/>INDEXABLE 17°, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENT</p> |
| <p>--- R ESERVED ---</p>                                                                                                                                                                                                                                      | <p>--- R ESERVED ---</p>                                                                                                           |



PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:3

|                                                                                                                                                                                                                                                                                 |                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p> <p>FOR<br/>23665, 25506, 23991<br/>INDEXABLE 17°, CATALOG "RAT"<br/>R.385 C-2-E, INSTALL ATTACHMENT</p>                                                                                                                                                    | <p>CONTACT SALES</p> <p>FOR<br/>25504, 25507, 23992<br/>INDEXABLE 17°, CATALOG "RAT"<br/>R.385 C-2-E, INSTALL ATTACHMENT</p>       |
| <p>CONTACT SALES</p> <p>FOR<br/>25528, 25531, 24006<br/>INDEXABLE 17°, SERIES 3 "CLOSE"<br/>R.438 C-2-E, INSTALL ATTACHMENT</p>                                                                                                                                                 | <p>CONTACT SALES</p> <p>FOR<br/>25529, 25532, 24007<br/>INDEXABLE 17°, SERIES 3 "CLOSE"<br/>R.438 C-2-E, INSTALL ATTACHMENT</p>    |
| <p>22581 - WITHOUT KEY CONTROL<br/>21484 - WITH KEY CONTROL</p>  <p>FOR<br/>19975, 25537,<br/>24009, 21076,<br/>19975EB2<br/>INDEXABLE 17°, SERIES 3<br/>R.500 C-2-E, INSTALL ATTACHMENT</p> | <p>CONTACT SALES</p> <p>FOR<br/>20093, 25538,<br/>24010, 21082<br/>INDEXABLE 17°, SERIES 3<br/>R.500 C-2-E, INSTALL ATTACHMENT</p> |
| <p>21046 - WITHOUT KEY CONTROL (22424 = YELLOW)<br/>23170 - WITH KEY CONTROL</p>  <p>FOR<br/>17940, 25540<br/>FIXED 20°, SERIES 4<br/>R.535 C-2-E, INSTALL ATTACHMENT</p>                    | <p>CONTACT SALES</p> <p>FOR<br/>20081, 25541<br/>FIXED 20°, SERIES 4<br/>R.535 C-2-E, INSTALL ATTACHMENT</p>                       |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com


# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:3

21048 - WITHOUT KEY CONTROL (YELLOW = 22426)  
22427 - WITH KEY CONTROL, YELLOW




CONTACT SALES

FOR  
20084, 25544  
FIXED 20°, SERIES 4  
R.640 C-2-E, INSTALL ATTACHMENT

--- R ESERVED ---

--- R ESERVED ---

23459 - WITHOUT KEY CONTROL  
23460 - WITH KEY CONTROL



CONTACT SALES

FOR  
20096, 25547  
INDEXABLE 20°, SERIES 4  
R.535 C-2-E, INSTALL ATTACHMENT

CONTACT SALES

FOR  
17980, 25549  
INDEXABLE 20°, SERIES 4  
R.640 C-2-E, INSTALL ATTACHMENT

CONTACT SALES

FOR  
20099, 25550  
INDEXABLE 20°, SERIES 4  
R.640 C-2-E, INSTALL ATTACHMENT


PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:2





|                                                                                                         |                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>--- R ESERVED ---</p>                                                                                | <p>--- R ESERVED ---</p>                                                                                                                                                                                                               |
| <p>CONTACT SALES</p> <p>FOR<br/>13192, 13193<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p> | <p>23481 - WITHOUT KEY CONTROL<br/>21483 - WITH KEY CONTROL</p>  <p>FOR<br/>14479, 14480<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p> |
| <p>CONTACT SALES</p> <p>FOR<br/>13194, 13195<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p> | <p>CONTACT SALES</p> <p>FOR<br/>13196, 13197<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                |
| <p>CONTACT SALES</p> <p>FOR<br/>13198, 13199<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p> | <p>CONTACT SALES</p> <p>FOR<br/>13200, 13201<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG INSTALLATION



SHEET SCALE: 1:2

|                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p>  <p>FOR<br/>24950, 24951,<br/>22272, 22273<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p>                            | <p>CONTACT SALES</p>  <p>FOR<br/>24952, 24953,<br/>22274, 22275<br/>LTI, SERIES 1<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p>                           |
| <p>CONTACT SALES</p>  <p>FOR<br/>20506, 20507<br/>LTI, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                            | <p>23462 - WITHOUT KEY CONTROL<br/>23463 - WITH KEY CONTROL</p>  <p>FOR<br/>20508, 20509<br/>LTI, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p> |
| <p>25383 - WITHOUT KEY CONTROL<br/>25384 - WITH KEY CONTROL</p>  <p>FOR<br/>20510, 20511<br/>LTI, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p> | <p>CONTACT SALES</p>  <p>FOR<br/>20512, 20513<br/>LTI, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                           |
| <p>CONTACT SALES</p>  <p>FOR<br/>20502, 20503<br/>LTI, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                            | <p>CONTACT SALES</p>  <p>FOR<br/>20504, 20505<br/>LTI, SERIES 1<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                           |






PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:2

|                                                                                                                                                                                                                                           |                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p>  <p>FOR<br/>24960, 24961,<br/>22284, 22285<br/>LTI, SERIES 1</p> <p>R.366 C-2-E, INSTALL ATTACHMENTS</p>                            | <p>CONTACT SALES</p>  <p>FOR<br/>24962, 24963,<br/>22286, 22287<br/>LTI, SERIES 1</p> <p>R.366 C-2-E, INSTALL ATTACHMENTS</p> |
| <p>CONTACT SALES</p>  <p>FOR<br/>13204, 13205<br/>LTI, SERIES 2</p> <p>R.317 C-2-E, INSTALL ATTACHMENTS</p>                                            | <p>21482 - WITH KEY CONTROL</p>  <p>FOR<br/>14425, 14426<br/>LTI, SERIES 2</p> <p>R.317 C-2-E, INSTALL ATTACHMENTS</p>      |
| <p>25421 - WITHOUT KEY CONTROL<br/>25422 - WITH KEY CONTROL</p>  <p>FOR<br/>14481, 14482<br/>LTI, SERIES 2</p> <p>R.317 C-2-E, INSTALL ATTACHMENTS</p> | <p>CONTACT SALES</p>  <p>FOR<br/>13208, 13209<br/>LTI, SERIES 2</p> <p>R.317 C-2-E, INSTALL ATTACHMENTS</p>                |
| <p>CONTACT SALES</p>  <p>FOR<br/>13210, 13211<br/>LTI, SERIES 2</p> <p>R.317 C-2-E, INSTALL ATTACHMENTS</p>                                            | <p>CONTACT SALES</p>  <p>FOR<br/>13212, 13213<br/>LTI, SERIES 2</p> <p>R.317 C-2-E, INSTALL ATTACHMENTS</p>                 |




PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:2

|                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p>  <p>FOR<br/>24970, 24971,<br/>22296, 22297,<br/>24077, 24072<br/>LTI, SERIES 2<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p> | <p>CONTACT SALES</p>  <p>FOR<br/>24972, 24973,<br/>22298, 22299,<br/>24078, 24073<br/>LTI, SERIES 2<br/>R.317 C-2-E, INSTALL ATTACHMENTS</p>                       |
| <p>CONTACT SALES</p> <p>FOR<br/>20523, 20524<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                       | <p>23465 - WITHOUT KEY CONTROL<br/>23466 - WITH KEY CONTROL</p>  <p>FOR<br/>20525, 20526,<br/>20526EB2<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p> |
| <p>CONTACT SALES</p> <p>FOR<br/>20527, 20528<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                       | <p>CONTACT SALES</p> <p>FOR<br/>20529, 20530<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                              |
| <p>CONTACT SALES</p> <p>FOR<br/>20519, 20520<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                       | <p>CONTACT SALES</p> <p>FOR<br/>20521, 20522<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                              |





PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:3

|                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p>  <p>FOR<br/>24980, 24981,<br/>22308, 22309,<br/>24087, 24082,<br/>24981EB2<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                                               | <p>CONTACT SALES</p>  <p>FOR<br/>24982, 24983,<br/>22310, 22311,<br/>24088, 24083<br/>LTI, SERIES 2<br/>R.366 C-2-E, INSTALL ATTACHMENTS</p>                                              |
| <p>CONTACT SALES</p> <p>FOR<br/>24990, 24991,<br/>25490, 25491,<br/>24097, 24092<br/>LTI, SERIES 3 "CLOSE"<br/>R.438 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                                       | <p>CONTACT SALES</p> <p>FOR<br/>24992, 24993,<br/>25492, 25493,<br/>24098, 24093<br/>LTI, SERIES 3 "CLOSE"<br/>R.438 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                          |
| <p>21030 - WITHOUT KEY CONTROL (22422 = YELLOW)<br/>21413 - WITH KEY CONTROL</p>  <p>FOR<br/>18964, 18963,<br/>21682, 21683,<br/>24107, 24102,<br/>18963EB2<br/>LTI, SERIES 3<br/>R.500 C-2-E, INSTALL ATTACHMENTS</p> | <p>23468 - WITHOUT KEY CONTROL<br/>23469 - WITH KEY CONTROL</p>  <p>FOR<br/>20136, 20137,<br/>21684, 21685,<br/>24108, 24103,<br/>LTI, SERIES 3<br/>R.500 C-2-E, INSTALL ATTACHMENTS</p> |
| <p>CONTACT SALES</p> <p>FOR<br/>20539, 20540<br/>21686, 21687,<br/>24111, 24106<br/>LTI, SERIES 3<br/>R.500 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                                                | <p>CONTACT SALES</p> <p>FOR<br/>20543, 20544,<br/>21688, 21689,<br/>24109, 24104<br/>LTI, SERIES 3<br/>R.500 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                  |



PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:3

|                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>CONTACT SALES</p> <p>FOR<br/>20547, 20548,<br/>21690, 21691,<br/>24110, 24105<br/>LTI, SERIES 3</p> <p>R.500 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                       | <p>21046 - WITHOUT KEY CONTROL (22424 = YELLOW)<br/>23170 - WITH KEY CONTROL</p>  <p>FOR<br/>20000, 19998,<br/>25210, 25211<br/>LTI, SERIES 4</p> <p>R.535 C-2-E, INSTALL ATTACHMENTS</p> |
| <p>CONTACT SALES</p> <p>FOR<br/>20570, 20571,<br/>25212, 25213<br/>LTI, SERIES 4</p> <p>R.535 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                                         | <p>CONTACT SALES</p> <p>FOR<br/>20574, 20575,<br/>25214, 25215<br/>LTI, SERIES 4</p> <p>R.535 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                                |
| <p>21048 - WITHOUT KEY CONTROL (YELLOW = 22426)<br/>22427 - WITH KEY CONTROL, YELLOW</p>  <p>FOR<br/>20001, 19999,<br/>25220, 25221<br/>LTI, SERIES 4</p> <p>R.640 C-2-E, INSTALL ATTACHMENTS</p> | <p>CONTACT SALES</p> <p>FOR<br/>20359, 20358,<br/>25222, 25223<br/>LTI, SERIES 4</p> <p>R.640 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                                |
| <p>CONTACT SALES</p> <p>FOR<br/>20361, 20360,<br/>25224, 25225<br/>LTI, SERIES 4</p> <p>R.640 C-2-E, INSTALL ATTACHMENTS</p>                                                                                                                                                         | <p>--- R ESERVED ---</p>                                                                                                                                                                                                                                                    |






PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

# COVERS CATALOG

## INSTALLATION



SHEET SCALE: 1:2

|                                                                                                                                                                                                                              |                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>--- R ESERVED ---</p>                                                                                                                                                                                                     | <p>21480</p>  <p>FOR<br/>14251, 21692<br/>STRAIGHT, SERIES 2<br/>INSTALL ATTACHMENT</p>                                                      |
| <p>CONTACT SALES</p> <p>FOR<br/>20102, 25580<br/>STRAIGHT, SERIES 3<br/>INSTALL ATTACHMENT</p>                                                                                                                               | <p>25589</p>  <p>FOR<br/>20682, 20683<br/>RATCHET, 3/4 X 1/4<br/>INSTALL ATTACHMENTS</p>                                                    |
| <p>25592</p>  <p>FOR<br/>20684, 20685<br/>RATCHET, 3/4 X 3/8<br/>INSTALL ATTACHMENTS</p>                                                  | <p>25595 - WITHOUT KEY CONTROL<br/>25596 - WITH KEY CONTROL</p>  <p>FOR<br/>19992, 20686<br/>RATCHET, 3/4 X 1/2<br/>INSTALL ATTACHMENTS</p> |
| <p>25598 - WITHOUT KEY CONTROL<br/>25599 - WITH KEY CONTROL</p>  <p>FOR<br/>19993, 20687<br/>RATCHET, 1 X 1/2<br/>INSTALL ATTACHMENTS</p> | <p>--- R ESERVED ---</p>                                                                                                                                                                                                        |

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com


# COVERS CATALOG

## INSTALLATION




SHEET SCALE: 1:2

25653




FOR  
15358EB  
INDEXABLE 17°, SERIES 2  
R.366 C-2-E, INSTALL ATTACHMENT

25657




FOR  
19975EB, 19975EB3  
INDEXABLE 17°, SERIES 3  
R.500 C-2-E, INSTALL ATTACHMENT

25655



FOR  
24981EB  
LTI, SERIES 2  
R.366 C-2-E, INSTALL ATTACHMENTS

25659




FOR  
18963EB, 18963EB3  
LTI, SERIES 3  
R.500 C-2-E, INSTALL ATTACHMENTS

--- R ESERVED ---


--- R ESERVED ---

20781  
21759 - YELLOW



FOR  
17924  
SPECIAL FIXED 17°  
INSTALL ATTACHMENT


21412




FOR  
COVERING 10192  
LOCK NUT

PHONE: 775 883 1072 FAX: 775 883 4857 WEB: www.jiffyairtool.com

## HINGED FULL-COVERAGE SLIT CORRUGATED TUBE COVERS




24112



FITS:  $\phi$ .500 TUBES

SHORT  
PRE-CUT  
1" LONG  
COVER


24113



FITS:  $\phi$ .625 TO  $\phi$ .687 TUBES

SHORT  
PRE-CUT  
1" LONG  
COVER


24114



FITS: TUBES  $\geq \phi$ .750

SHORT  
PRE-CUT  
1" LONG  
COVER


24121



FITS:  $\phi$ .500 TUBES

LONG  
PRE-CUT  
5" LONG  
COVER


24122



FITS:  $\phi$ .625 TO  $\phi$ .687 TUBES

LONG  
PRE-CUT  
5" LONG  
COVER


24123



FITS: TUBES  $\geq \phi$ .750

LONG  
PRE-CUT  
5" LONG  
COVER


24130



FITS:  $\phi$ .500 TUBES

UN-CUT  
12" LONG  
COVER


24131



FITS:  $\phi$ .625 TO  $\phi$ .687 TUBES

UN-CUT  
12" LONG  
COVER

24132



FITS: TUBES  $\geq \phi$ .750

UN-CUT  
12" LONG  
COVER

# MISCELLANEOUS COVERS




## "FIRE HOSE" HEAT-SHRINKABLE FABRIC TUBE COVERS



SOME DISASSEMBLY REQUIRED\*  
SHRINK TEMP = 230° F / 110° C - USE HEAT GUN -  
\*APPLICATION REQUIRES REMOVAL OF LOCK NUT & RINGS IN MOST CASES

24115

Ø .825 ID EXPANDED  
Ø .390 ID SHRUNK




SHORT  
PRE-CUT  
1" LONG  
COVER

IDEAL FOR Ø .500 TUBES

24117

Ø 1.570 ID EXPANDED  
Ø .785 ID SHRUNK





SHORT  
PRE-CUT  
1" LONG  
COVER

IDEAL FOR TUBES > Ø .800

24116


Ø 1.180 ID EXPANDED  
Ø .590 ID SHRUNK




SHORT  
PRE-CUT  
1" LONG  
COVER

IDEAL FOR Ø .625 TO Ø .800 TUBES

24125




LONG  
PRE-CUT  
5" LONG  
COVER




Ø 1.180 ID EXPANDED  
Ø .590 ID SHRUNK

IDEAL FOR TUBES > Ø .800

24124




LONG  
PRE-CUT  
5" LONG  
COVER




Ø .825 ID EXPANDED  
Ø .390 ID SHRUNK

24133




UN-CUT  
12" LONG  
COVER




Ø .825 ID EXPANDED  
Ø .390 ID SHRUNK

IDEAL FOR TUBES > Ø .800

24126




LONG  
PRE-CUT  
5" LONG  
COVER




Ø 1.570 ID EXPANDED  
Ø .785 ID SHRUNK

24135




UN-CUT  
12" LONG  
COVER




Ø 1.570 ID EXPANDED  
Ø .785 ID SHRUNK

IDEAL FOR TUBES > Ø .800

24134



UN-CUT  
12" LONG  
COVER



Ø 1.180 ID EXPANDED  
Ø .590 ID SHRUNK

IDEAL FOR TUBES > Ø .800



JIFFY AIR TOOL INC.

DRAWN: BROWN


DATE: 06/01/20

PAGE 26 OF 27


# MISCELLANEOUS COVERS



## SPIRAL WRAP TUBE COVERS




24118



IDEAL FOR  $\phi$ .500 TUBES  
FITS:  $\phi$ .375 TO  $\phi$  4.000 EXPANDED

SHORT  
PRE-CUT  
1" LONG  
COVER


24119



IDEAL FOR  $\phi$ .625 TUBES  
FITS:  $\phi$ .500 TO  $\phi$  4.500 EXPANDED

SHORT  
PRE-CUT  
1" LONG  
COVER


24120



IDEAL FOR  $\phi$ .750 TUBES  
FITS:  $\phi$ .625 TO  $\phi$  5.000 EXPANDED

SHORT  
PRE-CUT  
1" LONG  
COVER


24127



IDEAL FOR  $\phi$ .500 TUBES  
FITS:  $\phi$ .375 TO  $\phi$  4.000 EXPANDED

LONG  
PRE-CUT  
5" LONG  
COVER


24128



IDEAL FOR  $\phi$ .625 TUBES  
FITS:  $\phi$ .500 TO  $\phi$  4.500 EXPANDED

LONG  
PRE-CUT  
5" LONG  
COVER


24129



IDEAL FOR  $\phi$ .750 TUBES  
FITS:  $\phi$ .625 TO  $\phi$  5.000 EXPANDED

LONG  
PRE-CUT  
5" LONG  
COVER


24136



IDEAL FOR  $\phi$ .500 TUBES  
FITS:  $\phi$ .375 TO  $\phi$  4.000 EXPANDED

UN-CUT  
12" LONG  
COVER


24137



IDEAL FOR  $\phi$ .625 TUBES  
FITS:  $\phi$ .500 TO  $\phi$  4.500 EXPANDED

UN-CUT  
12" LONG  
COVER

24138



IDEAL FOR  $\phi$ .750 TUBES  
FITS:  $\phi$ .625 TO  $\phi$  5.000 EXPANDED

UN-CUT  
12" LONG  
COVER



JIFFY AIR TOOL INC.

DRAWN: BROWN

DATE: 06/01/20

PAGE 27 OF 27